

# Video Surveillance Product Catalog





## Since 2002

Infinique started as designer and manufacturer of video surveillance solutions, when video was predominantly analog.

As our products evolved and transitioned to digital video over IP there was a need for quality network backbone cabling and components to support the bandwidth intensive application.

The end result was Infinique providing complete structured cabling solution to support video applications and beyond.

## Open Architecture That Can Address Your Current And Future Security Needs

Video Surveillance Solution as the transition to IP based video surveillance is reaching its full potential and providing an opportunity for a more connected and integrated security platform, we at Infinique are consistently striving to deliver the best cameras, video management solution and a middle-ware which helps achieve this goal. Whether you are a small to mid-size company, a major corporation or a government organization, our products are designed to address your security concerns.

### Network Cameras

The IP based network cameras from Infinique are designed with open industry standards for high definition images, reliability, easy deployment and performance. Suitable for today's demanding security video applications our cameras include the essential features required to provide secure video over network.

### Network Video Recorder

Premium Series NVRs are plug and play embedded recorders to server based from small to very large installations; solutions designed to be secure, scalable, easy to use and maintain.

Fortes NVRs are designed with Industrial Grade Enterprise Hardware with dual processors, multiple LAN, RAID, and redundant dual power. Comes preloaded with FortesVMS and Linux OS on SSD. Centralized SAN Storage through iSCSI or Fiber Channel Fortes NVR designed with server class hardware zero downtime through failover server option. Open architecture to support all ONVIF Compliant Cameras.

### Switches and Media Converters

Managed and unmanaged PoE, switches, media converters, and PoE extenders that provide efficient and reliable performance for indoor or industrial applications.

### Video Management System

Infinique's Video Management robust network video recorders, servers, and management software addresses the needs of a small to very large installation with thousands of cameras. Some of the high-end features offered, but not limited to are open architecture, ONVIF compliance, central storage and fail-over, providing a scalable and future proof solution.

### Central Monitoring System

ICMS-Premium is a monitoring and administration software used for managing and viewing live video from Premium Series NVRs. The software is ONVIF compliant and provides a true open architecture platform, that supports ONVIF Compliant Network Cameras.

FortesMonitor is part of a comprehensive video surveillance system that offers centralized management and monitoring of Fortes NVRs through one single client software. As a distributed network platform with enterprise-class reliability, it can connect up to +4000 cameras from NVRs spread across different geographical locations. This management and monitoring software provides additional features and flexibility for the security professionals to monitor and manage their video surveillance installations efficiently.

# TABLE OF CONTENTS

## NETWORK CAMERA

Camera Naming Convention

### **Premium Series**

Dome Camera

Turret Camera

Bullet Camera

PTZ Camera

Panoramic Camera

Thermal Camera

### **Accessories**

Junction Box

Brackets

## NETWORK VIDEO RECORDER

NVR Naming Convention

### **Premium Series**

16 HDD NVR

8 HDD NVR

2 HDD NVR

PoE Port NVR

### **Application Software**

Premium Series ICMS

InfiViewCam

### **Fortes Series**

Enterprise+ Series

Enterprise Series

Professional Series

System Series

Econo Series

### **Application Software**

Fortes Monitor

Fortes VMS

## CUSTOMER SUPPORT



# NETWORK CAMERA



# Naming Convention





5 Megapixel

Key Features




- 5MP resolution upto 30 fps
- Supports H.265, H.264 and MJPEG
- Night vision up to 20 meters with IR
- Micro SD card slot for onboard storage
- 3 Axis Bracket helps mount on wall or ceiling
- ONVIF compliant for easy integration

Housing ID: V4DIPWH670720A1  
 115(D) x 64(H)mm, 270g, IP67, Vandal Proof Aluminum Alloy  
 Available in White (RAL 9003) & Gray (RAL 7021)

Part Number	Description	Explore
5 Megapixel		
<b>INV502F-RWTN</b>	Premium Series Vandal Dome Camera, WDR, IR 2.8mm Fixed Lens, IR LED, 130dB True WDR, True Day and Night with ICR, PoE, IP67, IK07	

Dimensions



Point A  
Ratio 2:1



8 5 2 Megapixel

Key Features




- 8MP, 5MP and 2MP resolution upto 30 fps
- Supports H.265, H.264 and MJPEG
- Night vision up to 30 meters with IR
- Micro SD card slot for onboard storage
- 3 Axis Bracket helps mount on wall or ceiling
- ONVIF compliant for easy integration

Housing ID: V4DIPWH660730S1  
 146(D) x 108(H)mm, 510g, IP66, ABS Plastic  
 Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
8 Megapixel		
<b>IND813Z-RWTN</b>	Premium Series Plastic Dome Camera, WDR, IR 2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP66, IK07	
5 Megapixel		
<b>IND513Z-RWTN</b>	Premium Series Plastic Dome Camera, WDR, IR 2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP66, IK07	
2 Megapixel		
<b>IND713Z-RTN</b>	Premium Series Plastic Dome Camera, DWDR, IR 2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, Digital WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP66, IK07	

Dimensions








## Accessories

### IJDWM-146

Wall Mount Junction Box



### IBDLWM-2

Wall Mount L Bracket



### IJBBCM-146

Ceiling Mount Junction Box



### IBDCFM-2

Flush Mount Ceiling Bracket



### IBKTCM

Pendent Mount Ceiling Bracket



### IBBCPM

Pole Mount Bracket



### IBCRWM

Corner Mount Bracket





8 5 2 Megapixel



Key Features


- 8MP, 5MP and 2MP resolution upto 30 fps
- Supports H.265, H.264 and MJPEG
- Night vision up to 30 meters with IR
- Micro SD card slot for onboard storage
- 3 Axis Bracket helps mount on wall or ceiling
- ONVIF compliant for easy integration

Housing ID: V4DIPWH660730S2  
 120(D) x 91.6(H)mm, 390g, IP66, ABS Plastic  
 Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
8 Megapixel		
<b>IND811Z-RWTN</b>	Premium Series Plastic Dome Camera, WDR, IR 2.8-8mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP66, IK07	
<b>IND802F-RTN</b>	Premium Series Plastic Dome Camera, DWDR, IR 2.8mm Fixed Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP66, IK07	
5 Megapixel		
<b>IND511Z-RWTN</b>	Premium Series Plastic Dome Camera, WDR, IR 2.8-8mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP66, IK07	
2 Megapixel		
<b>IND711Z-RWTN</b>	Premium Series Plastic Dome Camera, WDR, IR 2.8-8mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP66, IK07	




## Dimensions



## Accessories


### IBDWM-115

Wall Mount Junction Box



### IBDLWM-3

Wall Mount L Bracket




### IBDPCM-115

Ceiling Mount Junction Box



### IBDCFM-1

Flush Mount Ceiling Bracket



### IBKTCM

Pendent Mount Ceiling Bracket




### IBBCPM

Pole Mount Bracket



### IBCRWM

Corner Mount Bracket





8 5 2 Megapixel

Key Features




- 8MP, 5MP and 2MP resolution upto 30 fps
- Supports H.265, H.264 and MJPEG
- Night vision up to 20 meters with IR
- Micro SD card slot for onboard storage
- 3 Axis Bracket helps mount on wall or ceiling
- ONVIF compliant for easy integration

Housing ID: V4DIMWH671030A1  
 115(D) x 91.6(H)mm, 560g, IP67, Vandal Proof Aluminum Alloy  
 Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
8 Megapixel		
<b>INV811Z-RWTN</b>	Premium Series Vandal Dome Camera, WDR, IR 2.8-8mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10	
5 Megapixel		
<b>INV511Z-RWTN</b>	Premium Series Vandal Dome Camera, WDR, IR 2.8-8mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10	
<b>INV502F-RTE</b>	Premium Series Vandal Dome Camera, DWDR, IR 2.8mm Fixed Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10	
2 Megapixel		
<b>INV711Z-RWTN</b>	Premium Series Vandal Dome Camera, WDR, IR 2.8-8mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 120dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10	
<b>INV703F-RTN</b>	Premium Series Vandal Dome Camera, DWDR, IR 3.6mm Fixed Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10	




## Dimensions



## Accessories

### IJDWM-115

Wall Mount Junction Box



### IBDLWM-3

Wall Mount L Bracket




### IJDWM-115

Ceiling Mount Junction Box



### IBDCFM-1

Flush Mount Ceiling Bracket



### IBKTCM

Pendent Mount Ceiling Bracket



### IBBCPM

Pole Mount Bracket



### IBCRWM

Corner Mount Bracket





8 5 4 2 Megapixel

Key Features



- 8MP, 5MP, 4MP and 2MP resolution upto 30 fps
- Supports H.265, H.264 and MJPEG
- Night vision up to 20 meters with IR
- Micro SD card slot for onboard storage
- 3 Axis Bracket helps mount on wall or ceiling
- ONVIF compliant for easy integration

Housing ID: V4DIMWH671030A3  
 148(D) x 109(H)mm, 950g, IP67, Vandal Proof Aluminum Alloy  
 Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
8 Megapixel		
<b>INV813Z-RWTN</b>	Premium Series Vandal Dome Camera, WDR, IR 2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 120dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10	
<b>INV813Z-RTN</b>	Premium Series Vandal Dome Camera, DWDR, IR 2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10	
5 Megapixel		
<b>INV518V-RWTN</b>	Premium Series Vandal Dome Camera, WDR, IR 6-22mm Varifocal Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10	
<b>INV513Z-RWTN</b>	Premium Series Vandal Dome Camera, WDR, IR 2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10	



## 4 Megapixel

### INV413Z-RWTM1

Premium Series Vandal Dome Camera, WDR, IR  
2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10




## 2 Megapixel

### INV713Z-RWTN

Premium Series Vandal Dome Camera, WDR, IR  
2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10




## Dimensions



## Accessories

### IJDWM-146

Wall Mount Junction Box



### IBDLWM-2

Wall Mount L Bracket



### IJBBCM-146

Ceiling Mount Junction Box



### IBDCFM-2

Flush Mount Ceiling Bracket





## Accessories

### IBKTCM

Pendent Mount Ceiling Bracket



### IBBCPM

Pole Mount Bracket



### IBCRWM

Corner Mount Bracket







8 5 2 Megapixel

Key Features




8MP, 5MP and 2MP resolution upto 30 fps
Supports H.265, H.264 and MJPEG
Night vision up to 30 meters with IR
Micro SD card slot for onboard storage
3 Axis Bracket helps mount on wall or ceiling
ONVIF compliant for easy integration

Housing ID: V4DIMWH671030A1
100(D) x 90(H)mm, 410g, IP67, Aluminum Alloy
Available in White (RAL 9003) and Gray (RAL 7021)

Table with 3 columns: Part Number, Description, and Explore. It lists camera models for 8, 5, and 2 Megapixel resolutions with their respective specifications and icons for document, globe, and call.

Dimensions





## Accessories


### IJBWM-100

Wall Mount Junction Box



### IJBBCM-100

Ceiling Mount Junction Box



### IBKTCM

Pendent Mount Ceiling Bracket



### IBBCPM

Pole Mount Bracket



### IBCRWM

Corner Mount Bracket





## 2 Megapixel

### Key Features




- 2MP resolution upto 30 fps
- Supports H.265, H.264 and MJPEG
- Night vision up to 45 meters with IR
- Micro SD card slot for onboard storage
- 3 Axis Bracket helps mount on wall or ceiling
- ONVIF compliant for easy integration

Housing ID: V4DIMWH670745A1  
 135(D) x 127(H)mm, 850g, IP67, Aluminum Alloy  
 Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
2 Megapixel		
<b>INV713Z-RTE</b>	Premium Series Dome Camera, DWDR, IR 2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	

### Dimensions





## Accessories

### IJBWM-134

Wall Mount Junction Box



### IJBBCM-134

Ceiling Mount Junction Box



### IBDLWM-2

Wall Mount L Bracket



### IBKTCM

Pendent Mount Ceiling Bracket



### IBBCPM

Pole Mount Bracket



### IBCRWM

Corner Mount Bracket





4 Megapixel

Key Features



- 4MP resolution upto 60 fps
- Supports H.265, H.264 and MJPEG
- Night vision up to 30 meters with IR
- Micro SD card slot for onboard storage
- 3 Axis Bracket helps mount on wall or ceiling
- ONVIF compliant for easy integration

Housing ID: V4DIMWH670730A2  
 136(D) x 126(H)mm, 819g, IP67, Aluminum Alloy  
 Available in White (RAL 9003) and Gray (RAL 7021)


Part Number	Description	Explore
4 Megapixel		

INV413Z-RWTM

Premium Series Dome Camera, DWDR, IR  
 2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video  
 Streams, 120dB WDR, True Day and Night with ICR, Adjustable Bit  
 Rate, PoE, IP67, IK07



Dimensions





## Accessories

### IJBWM-134

Wall Mount Junction Box



### IJBBCM-134

Ceiling Mount Junction Box



### IBDLWM-3

Wall Mount L Bracket





8 5 2 Megapixel

Key Features




- 8MP, 5MP and 2MP resolution upto 20 fps
- Supports H.265, H.264 and MJPEG
- Night vision up to 30 meters with IR
- Micro SD card slot for onboard storage
- 3 Axis Bracket helps mount on wall or ceiling
- ONVIF compliant for easy integration

Housing ID: V4BOMWH670730A1  
 70.9(D) x 150.8(H)mm, 358g, IP67, Vandal Resistant Aluminum Alloy  
 Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
8 Megapixel		
<b>INB803F-RTN</b>	Premium Series Bullet Camera, DWDR, IR 3.6mm Fixed Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	
5 Megapixel		
<b>INB502F-RTN</b>	Premium Series Bullet Camera, DWDR, IR 2.8mm Fixed Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP66	
2 Megapixel		
<b>INB702F-RTE</b>	Premium Series Bullet Camera, DWDR, IR 2.8mm Fixed Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	
<b>INB703F-RTE</b>	Premium Series Bullet Camera, DWDR, IR 3.6mm Fixed Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	

Dimensions





## Accessories

### IJBWM-100

Wall Mount Junction Box



### IJBBCM-100

Ceiling Mount Junction Box



### IBKTCM

Pendent Mount Ceiling Bracket



### IBBCPM

Pole Mount Bracket







8 5 2 Megapixel



Key Features

- 8MP, 5MP and 2MP resolution upto 20 fps
- Supports H.265, H.264 and MJPEG
- Night vision up to 45 meters with IR
- Micro SD card slot for onboard storage
- 3 Axis Bracket helps mount on wall or ceiling
- ONVIF compliant for easy integration

Housing ID: V4BOMWH670745A1  
 87(D) x 242(H)mm, 650g, IP67, Vandal Resistant Aluminum Alloy  
 Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
8 Megapixel		
<b>INB813Z-RTE</b>	Premium Series Bullet Camera, DWDR, IR 2.8~12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	
<b>INB813Z-RWTN</b>	Premium Series Bullet Camera, WDR, IR 2.8~12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	
5 Megapixel		
<b>INB502F-RWTN</b>	Premium Series Bullet Camera, WDR, IR 2.8mm Fixed Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	
<b>INB513V-RTE</b>	Premium Series Bullet Camera, DWDR, IR 2.8-12mm Varifocal Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	
<b>INB513Z-RWTN</b>	Premium Series Bullet Camera, WDR, IR 2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	



## 2 Megapixel

### INB713Z-RTN

Premium Series Bullet Camera, DWDR, IR  
2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, Two Way Audio, PoE, IP67, IK07




### INB713Z-RWTN

Premium Series Bullet Camera, WDR, IR  
2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, 120dB WDR, Two Way Audio, Alarm I/O, PoE, IP67, IK07



## Dimensions



## Accessories

### IJBWWM-134

Wall Mount Junction Box

### IJBBCM-134

Ceiling Mount Junction Box



### IBKTCM


Pendent Mount Ceiling Bracket

### IBBCPM

Pole Mount Bracket

### IBCRWM

Corner Mount Bracket





8 5 2 Megapixel



Key Features


- 8MP, 5MP and 2MP resolution upto 30 fps
- Supports H.265, H.264 and MJPEG
- Night vision up to 80 meters with IR
- Micro SD card slot for onboard storage
- 3 Axis Bracket helps mount on wall or ceiling
- ONVIF compliant for easy integration

Housing ID: V4BOMWH671080A1  
 90(W) x 301.11(L) x 97(H), 1427g, IP67, Vandal Resistant  
 Aluminum Alloy  
 Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
8 Megapixel		
<b>INB813Z-RWTN1</b>	Premium Series Bullet Camera, DWDR, IR 2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	
<b>INB816Z-RWTN</b>	Premium Series Bullet Camera, DWDR, IR 5-50mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	
5 Megapixel		
<b>INB513Z-RWTN1</b>	Premium Series Bullet Camera, WDR, IR 2.8-12mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	
<b>INB516Z-RWTN</b>	Premium Series Bullet Camera, WDR, IR 5-50mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	
2 Megapixel		
<b>INB716Z-RWTN</b>	Premium Series Bullet Camera, WDR, IR 5-50mm Motorized Zoom Lens, IR Array LED, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	



## Dimensions



## Accessories

### IJBWM-134

Wall Mount Junction Box



### IJBBCM-134

Ceiling Mount Junction Box



### IBKTCM

Pendent Mount Ceiling Bracket



### IBBCPM

Pole Mount Bracket



### IBCRWM

Corner Mount Bracket





8 5 2 Megapixel




### Key Features

- 8MP, 5MP and 2MP resolution upto 30 fps
- Supports H.265+, H.264+ and MJPEG
- Night vision up to 150 meters with IR
- Micro SD card slot for onboard storage
- 3 Axis Bracket helps mount on wall or ceiling
- ONVIF compliant for easy integration

Housing ID: V4POMWH671015S1  
 206(D) x 352(H), 2000g, IP67, Vandal Proof Aluminum Alloy  
 Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
8 Megapixel		
<b>INO837X-RAWT</b>	Premium Series PTZ Speed Dome Camera, WDR, IR 37x Optical Zoom, Smart IR, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10	
5 Megapixel		
<b>INO533X-RAWT</b>	Premium Series PTZ Speed Dome Camera, WDR, IR 33x Optical Zoom, Smart IR, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10	
2 Megapixel		
<b>INO722X-RAWT</b>	Premium Series PTZ Speed Dome Camera, WDR, IR 22x Optical Zoom, Smart IR, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK10	
System Controller		
<b>IFSD-SC3</b>	System Controller for PTZ, USB, RS 485, RS 232 interface	

### Dimensions





## Accessories

### IBKTWM

Wall Mount Bracket



### IBKTCM

Pendent Mount Ceiling Bracket



### IBBCPM

Pole Mount Bracket



### IBCRWM

Corner Mount Bracket





8 Megapixel




Key Features

- 8MP resolution upto 30 fps
- Supports H.265 and H.264 compression
- Night vision up to 30 meters with IR
- Micro SD card slot for onboard storage
- ONVIF compliant for easy integration

Housing ID: V4POMWH671015S1  
 167(D) x 238(H), 920g, IP66, ABS Plastic  
 Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
8 Megapixel		
<b>INO804X-RAT</b>	Premium Series PTZ Speed Dome Camera, DWDR, IR 4X Optical Zoom, Three Video Streams, True Day and Night with ICR, Adjustable Bit Rate, PoE, IP67, IK07	
System Controller		
<b>IFSD-SC3</b>	System Controller for PTZ, USB, RS 485, RS 232 interface	

Dimensions





8 2 Megapixel




Key Features

8MP and 2MP resolution upto 30 fps
Supports H.265+, H.264+ and MJPEG
Night vision up to 100 meters with IR
Micro SD card slot for onboard storage
ONVIF compliant for easy integration

Housing ID: V4POMWH671010S1
160(D) x 270(H), 2500g, IP66, Vandal Resistant Aluminum Alloy
Available in White (RAL 9003) and Gray (RAL 7021)

Table with 3 columns: Part Number, Description, and Explore. It lists camera models like INO825X-RAWT and INO718X-RAWT, along with a System Controller IFSD-SC3.

Dimensions







## Accessories

### IBKTWM

Wall Mount Bracket



### IBKTCM

Pendent Mount Ceiling Bracket




### IBBCPM

Pole Mount Bracket



### IBCRWM

Corner Mount Bracket





## 4 Megapixel

### Key Features




4MP Resolution at 50/60 fps  
 Supports H.265+, H.265, H.264 Compression  
 Night vision up to 20 meters with IR  
 Micro SD card slot for onboard storage  
 ONVIF compliant for easy integration

Housing ID: V4POMWH671020S1  
 153 (D) x 121.3 (H), 950g, IP66, Metal Housing  
 Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
4 Megapixel		
<b>INO404X-RAWT</b>	Premium Series Mini PTZ Dome Camera, WDR, IR 4X Optical Zoom, Three Video Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit Rate, IP66, IK10	
System Controller		
<b>IFSD-SC3</b>	System Controller for PTZ, USB, RS 485, RS 232 interface	

### Dimensions





## Accessories


### IBDLWM-2

Indoor Wall Mount Bracket



### IJBDCM-150

Ceiling Mount Bracket



### IBKTCM

Pendent Mount Ceiling Bracket



### IBBCPM

Pole Mount Bracket



### IBCRWM

Corner Mount Bracket





32 Megapixel

Key Features



4 x 8MP resolution upto 25/30 fps  
Supports H.265, H.264  
Night vision up to 30 meters with IR  
Micro SD card slot for onboard storage  
ONVIF compliant for easy integration

Housing ID: V4MOMWH671030A1  
300(D) x 195(H), 4600g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)


Part Number	Description	Explore
32 Megapixel		

INS313Z-RWTN

Premium Series Multi Sensor Panoramic Camera, WDR, IR  
4 x 2.8-12 Motorized Zoom Lens, 25/30fps @ 4 x 8MP, 0.005 Lux,  
Three Video Streams, 130dB WDR, True Day and Night with ICR,  
Adjustable Bit Rate, IP67, IK07



Dimensions





## Accessories

### IBMSWM

Multi Sensor Bracket



### IBBCPM

Pole Mount Bracket



### IBCRWM

Corner Mount Bracket





8 Megapixel

Key Features




8MP resolution upto 20 fps  
Supports H.265, H.264  
Night vision up to 25 meters with IR  
Micro SD card slot for onboard storage  
ONVIF compliant for easy integration

Housing ID: V4BOMWH670725A1  
241.30(D) x 95(H), 836.30g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
8 Megapixel		
INB801F-RWTN	Premium Series Bullet Camera, WDR, IR 2 Panoramic Lens, 20fps @ 8MP, 0.007 Lux, Three Video Streams, 1 30dB WDR, True Day and Night with ICR, Adjustable Bit Rate, IP67, IK07	

Dimensions





## Accessories

### IJBWM-100

Wall Mount Junction Box



### IJBBCM-100

Ceiling Mount Junction Box



### IBKTCM

Pendent Mount Ceiling Bracket



### IBBCPM

Pole Mount Bracket





8 Megapixel



Key Features

- 8MP resolution upto 20 fps
- Supports H.265, H.264
- Night vision up to 25 meters with IR
- Micro SD card slot for onboard storage
- ONVIF compliant for easy integration

Housing ID: V4DIMWH670725A1  
 116.5(D) x 97.7(H), 410g, IP67, Aluminum Die Cast  
 Available in White (RAL 9003) and Gray (RAL 7021)


Part Number	Description	Explore
8 Megapixel		

INV801F-RWTN

Premium Series Turret Camera, WDR, IR  
 2mm Panoramic Lens, 20fps @ 8MP, 0.007 Lux, Three Video  
 Streams, 130dB WDR, True Day and Night with ICR, Adjustable Bit  
 Rate, IP67, IK07



Dimensions







## Accessories

### IJBWM-100

Wall Mount Junction Box



### IJBBCM-100

Ceiling Mount Junction Box



### IBKTCM

Pendent Mount Ceiling Bracket



### IBBCPM

Pole Mount Bracket





5 Megapixel

Key Features




Dual Sensor - Optical and Thermal
Thermal Sensor - 256 x 192, 12µm≤40mk @ 25°C F1.0
Optical Sensor - 5 Megapixel Resolution @25/30fpsR
Micro SD card slot for onboard storage
ONVIF compliant for easy integration

Housing ID: V4BOMWH671030T1
108(D) x 314.6(L), 1250g, IP67, Aluminum Die Cast
Available in White (RAL 9003) and Gray (RAL 7021)

Table with 3 columns: Part Number, Description, Explore. Row 1: 5 Megapixel, Premium Series Thermal Bullet Camera, WDR, IR, 3.6mm Fixed Lens, IR Array LED, 30m IR Range, H.265, H.264, True WDR, True Day and Night ICR, SCHC Slot, POE, IP67

Dimensions





## Accessories

### IJBWWM-134

Wall Mount Junction Box



### IJBBCM-134

Ceiling Mount Junction Box



### IBKTCM

Pendent Mount Ceiling Bracket




### IBBCPM

Pole Mount Bracket




### IBCRWM

Corner Mount Bracket



### IJBWMO-134

Outdoor Mount Junction Box



### IJBDWM-DC

Dual Camera Junction Box





5 Megapixel




Key Features

Dual Sensor - Optical and Thermal  
Thermal Sensor - 256 x 192, 12µm≤40mk @ 25°C F1.0  
Optical Sensor - 5 Megapixel Resolution @25/30fpsR  
Micro SD card slot for onboard storage  
ONVIF compliant for easy integration

Housing ID: V4DOMWH671030T1  
134.9(D) x 114.4(L), 820g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
5 Megapixel		
<b>INV503F-RWTH</b>	Premium Series Thermal Bullet Camera, WDR, IR 3.6mm Fixed Lens, IR Array LED, 30m IR Range, H.265, H.264, True WDR, True Day and Night ICR,SCHC Slot, POE, IP67	

Dimensions





## Accessories

### IJBWWM-134

Wall Mount Junction Box



### IJBBCM-134

Ceiling Mount Junction Box



### IBDLWM-2

Indoor Wall Mount Bracket



### IBKTCM

Pendent Mount Ceiling Bracket



### IBBCPM

Pole Mount Bracket



### IBCRWM

Corner Mount Bracket



### IJDWWM-DC

Dual Camera Junction Box





12 Megapixel

Key Features



- 12MP resolution upto 30 fps
- Supports H.265, H.264
- Night vision up to 10 meters with IR
- Micro SD card slot for onboard storage
- ONVIF compliant for easy integration

Housing ID: V4FIMWH660603S1  
 120(D) x 55(H), 400g, IP66, Aluminum Die Cast  
 Available in White (RAL 9003) and Gray (RAL 7021)




Part Number	Description	Explore
12 Megapixel		

INF901F-RTN

Premium Series Fisheye Camera, DWDR, IR  
 1.6mm Panamorph Lens, 15fps @ 4000X3000, 25fps @ 3000X3000, 0.01 Lux, Three Video Streams, 120dB WDR, True Day and Night with ICR, Adjustable Bit Rate, IP66, IK06



Dimensions





# ACCESSORIES



## Key Features




Indoor and Outdoor Wall Mount Junction Box  
Vandal Resistant with IK10 Ratings  
G3/4 Conduit Interfaces

146.7 (D) x 46.2 (H), 375g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Wall Mount		
IJDWM-146	Infinique Camera Junction Box	  

## Dimensions







## Key Features




Indoor and Outdoor Ceiling Mount Junction Box  
Vandal Resistant with IK10 Ratings  
G3/4 Conduit Interfaces

146.7 (D) x 66.2 (H), 380g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Ceiling Mount		
<b>IJBBCM-146</b>	Infinique Camera Junction Box	

## Dimensions





## Key Features




Indoor and Outdoor Ceiling Mount Junction Box  
Vandal Resistant with IK10 Ratings  
G3/4 Conduit Interfaces

150 (D) 41 (H), 510g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Ceiling Mount		
IJBDCM-150	Infinique Camera Junction Box	

## Dimensions





## Key Features




Indoor and Outdoor Wall Mount Junction Box  
Vandal Resistant with IK10 Ratings  
G3/4 Conduit Interfaces

134.3 (D) x 56.5 (H), 395.6g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Wall Mount		
IJBWWM-134	Infinique Camera Junction Box	

## Dimensions





## Key Features




Outdoor Wall Mount Junction Box  
Vandal Resistant with IK10 Ratings  
G3/4 Conduit Interfaces

149 (L) x 140.5(W) x 66.9(H), 450g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Wall Mount		
IJBWMO-134	Infinique Camera Junction Box	

## Dimensions





## Key Features




Indoor and Outdoor Ceiling Mount Junction Box  
Vandal Resistant with IK10 Ratings  
G3/4 Conduit Interfaces

134.3 (D) x 79 (H), 430g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)


Part Number	Description	Explore
Ceiling Mount		
IJBBCM-134	Infinique Camera Junction Box	

## Dimensions





## Key Features




Indoor and Outdoor Wall Mount Junction Box  
Vandal Resistant with IK10 Ratings  
G3/4 Conduit Interfaces

113.5 (D) x 44.5 (H), 238g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)


Part Number	Description	Explore
Wall Mount		
IJBDWM-115	Infinique Camera Junction Box	

## Dimensions





## Key Features




Indoor and Outdoor Ceiling Mount Junction Box  
Vandal Resistant with IK10 Ratings  
G3/4 Conduit Interfaces

113.5 (D) x 44.5 (H), 269g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)


Part Number	Description	Explore
Ceiling Mount		
IJBDCM-115	Infinique Camera Junction Box	

## Dimensions





## Key Features




Indoor and Outdoor Wall Mount Junction Box  
Vandal Resistant with IK10 Ratings  
G3/4 Conduit Interfaces

100.5 (D) x 56 (H), 300g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Wall Mount		
IJBBWM-100	Infinique Camera Junction Box	

## Dimensions







## Key Features




Indoor and Outdoor Ceiling Mount Junction Box  
Vandal Resistant with IK10 Ratings  
G3/4 Conduit Interfaces

100.5 (D) x 76.8 (H), 350g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Ceiling Mount		
IJBBCM-100	Infinique Camera Junction Box	

## Dimensions






## Key Features

Indoor and Outdoor Wall Mount Junction Box  
Vandal Resistant with IK10 Ratings

350.2(L) x 314.35(W) x 218.2(H), 28.45kgs,  
IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Wall Mount		
IJBDWM-DC	Infinique Dual Camera Junction Box	  

## Dimensions






### Key Features

L Type Wall Mount Bracket  
Vandal Resistant with IK10 Ratings

186.8(D) x 162.4(W) x 75(H), 880g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Wall Mount		
IBDLWM-2	Infinique Camera Bracket	

### Dimensions






### Key Features

L Type Wall Mount Bracket  
Vandal Resistant with IK10 Ratings

155(D) x 132(W) x 75(H), 443g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Wall Mount		
IBDLWM-3	Infinique Camera Bracket	

### Dimensions





### Key Features




Flush Mount Ceiling Bracket  
Vandal Resistant with IK10 Ratings

215.34(D) x 73.3(H), 420g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Ceiling Mount		
IBDCFM-1	Infinique Camera Bracket	

### Dimensions





### Key Features




Flush Mount Ceiling Bracket  
Vandal Resistant with IK10 Ratings

215.34(D) x 73.3(H), 423g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Ceiling Mount		
IBDCFM-2	Infinique Camera Bracket	

### Dimensions





### Key Features




Pendent Mount Bracket  
Vandal Resistant with IK10 Ratings

45(D) x 294(H), 578g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Ceiling Mount		
IBKTCM	Infinique Camera Bracket	

### Dimensions






### Key Features

Pole Mount Bracket with Metal Ties  
Vandal Resistant with IK10 Ratings

125(L) x 46(W) x 200(H), 1020g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Pole Mount		
IBBCPM	Infinique Camera Bracket	


### Dimensions







### Key Features




Corner Wall Mount Bracket  
Vandal Resistant with IK10 Ratings

200(L) x 130(W) x 172.8(H), 2411g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Corner Wall Mount		
<b>IBCRWM</b>	Infinique Camera Bracket	

### Dimensions





### Key Features




Wall Mount Bracket  
Vandal Resistant with IK10 Ratings

71(L) x 140(W) x 180(H), 790g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Wall Mount		
IBKTWM	Infinique Camera Bracket	

### Dimensions





### Key Features




Wall Mount Bracket  
Vandal Resistant with IK10 Ratings

125(L) x 46(W) x 200(H), 1020g, IP67, Aluminum Die Cast  
Available in White (RAL 9003) and Gray (RAL 7021)

Part Number	Description	Explore
Wall Mount		
<b>IBMSWM</b>	Infinique Camera Bracket	

### Dimensions





# **NETWORK VIDEO RECORDER**



# Naming Convention





256 128 64 Channels

## Key Features



- Plug-and-play, designed for easy setup
- Install up to 16 SATA HDDs
- Record Bandwidth of maximum 1024Mbps
- Supports ONVIF IP cameras up to 8 MP
- Record Continuous, on Motion or Alarm
- View remotely on a PC or on a Smart Phone
- 440(W) x 460(D) x 189(H)
- Hard Drive not included

Part Number	Description	Explore
256 Channels		
<b>INR256-640F16E-3E1</b>	Premium Series NVR, 16 HDD, 2 LAN Ports Supports H.265, H.264 and MJPEG, Max 192TB, 2x LAN Ports, 1x ESATA, Rack Mountable Chassis	
128 Channels		
<b>INR128-640F16E-3E1</b>	Premium Series NVR, 16 HDD, 2 LAN Ports Supports H.265, H.264 and MJPEG, Max 192TB, 2x LAN Ports, 1x ESATA, Rack Mountable Chassis	
64 Channels		
<b>INR64-640F16E-3E1</b>	Premium Series NVR, 16 HDD, 2 LAN Ports Supports H.265, H.264 and MJPEG, Max 192TB, 2x LAN Ports, 1x ESATA, Rack Mountable Chassis	
Premium Series NVR with RAID		
256 Channels		
<b>INR256-640F16E-3R</b>	Premium Series NVR, 16 HDD, RAID5, Dual Power Supports H.265, H.264 and MJPEG, Max 192TB, 2x LAN Ports, Rack Mountable Chassis	
128 Channels		
<b>INR128-640F16E-3R</b>	Premium Series NVR, 16 HDD, RAID5, Dual Power Supports H.265, H.264 and MJPEG, Max 192TB, 2x LAN Ports, Rack Mountable Chassis	
64 Channels		
<b>INR64-640F16E-3R</b>	Premium Series NVR, 16 HDD, RAID5, Dual Power Supports H.265, H.264 and MJPEG, Max 192TB, 2x LAN Ports, Rack Mountable Chassis	



64 32 Channels

Key Features



Plug-and-play, designed for easy setup  
 Install up to 8 SATA HDDs  
 Record Bandwidth of maximum 640Mbps  
 Supports ONVIF IP cameras up to 8 MP  
 Record Continuous, on Motion or Alarm  
 View remotely on a PC or on a Smart Phone  
 440(L) x 460(W) x 89(H) , 5 Kg  
 Hard Drive not included

Part Number	Description	Explore
64 Channels		
<b>INR64-96H8I-SE1</b>	Premium Series NVR, 8 HDD, 2 LAN Ports Record up to 8MP resolution, Supports H.265, H.264 and MJPEG, 8 x Internal SATA HDD Slots, Max 128TB, 2x LAN Ports, 1x ESATA, RAID Support, Standalone Chassis	
32 Channels		
<b>INR32-96H8I-SE1</b>	Premium Series NVR, 8HDD, 2 LAN Ports Record up to 8MP resolution, Supports H.265, H.264 and MJPEG, 8 x Internal SATA HDD Slots, Max 128TB, 2x LAN Ports, 1x ESATA, RAID Support, Standalone Chassis	



32 Channels

Key Features



- Plug-and-play, designed for easy setup
- Install up to 2 SATA HDDs
- Record Bandwidth of maximum 512Mbps
- Supports ONVIF IP cameras up to 8 MP
- Record Continuous, on Motion or Alarm
- View remotely on a PC or on a Smart Phone
- 380(L) x 340(W) x 50(H) mm, 3.5 Kg
- Hard Drive not included

Part Number	Description	Explore
32 Channels		
<b>INR32-96H2I-SE1</b>	Infinique Premium Series NVR, 2 HDD, 2 LAN Ports Real time Live View and Playback of 32Ch in 720p, 20Ch in 1080p, 10Ch in 3MP, 8Ch in 4MP or 4Ch in 4K, Supports H.265, H.264 and MJPEG, Max 32TB, 2x LAN Ports, 1x ESATA, Standalone Chassis	






16 8 4 Channels

## Key Features




- Plug-and-play with 4 PoE Ports
- Supports H.264 and H.265 Compression
- Supports ONVIF Compliant Cameras
- Remote View on Android, iPhone, iPad, Tablet
- 380(L) x 340(W) x 50(H) mm, 3.5 Kg
- Hard Drive not included


Part Number	Description	Explore
16 Channels		
<b>INR16-48F2I-SE116P</b>	Premium Series H.265 NVR, 2 HDD, 16 PoE Ports 320Mbps Record Bandwidth, Recording @480fps in Full HD, Display @480fps in Full HD, H.265, H.264, 2 x Internal SATA HDD Slots, Max 16TB, E-SATA, 16 PoE Ports	
8 Channels		
<b>INR8-24F2I-SE18P</b>	Premium Series H.265 NVR, 2 HDD, 8 PoE Ports 128Mbps Record Bandwidth, Recording @240fps in Full HD, Display @240fps in Full HD, H.265, H.264, 2 x Internal SATA HDD Slots, Max 16TB, E-SATA, 8 PoE Ports	
4 Channels		
<b>INR4-12F2I-S4P</b>	Premium Series H.265 NVR, 2 HDD, 4 PoE Ports 500Mbps Network Bandwidth, 50Mbps Record Bandwidth, Recording and Display @120fps in Full HD, HD, D1, H.265, H.264, 2 x Internal SATA HDD Slots, Max 16TB, 4 PoE Ports	



### Key Features

- Designed for medium to large enterprise
- Centralized storage option via IP SAN or FC
- Supports ONVIF and RTSP
- Centralized monitoring using CMS software
- Failover option for continuous operation

Part Number	Description	Explore
<b>ICMS-PREMIUM</b>	Central Monitoring Client System for Premium Series DVRs and NVRs, Hybrid Solution for both Analog and IP Cameras for Remote Configuration, Local and Remote Record Management, E-Map Monitor, Local and Remote Playback	  



### Key Features

- Supports Android and iOS
- Adds new device through QR code
- Sharing Images option through Email
- Zoom In/Out on Live View
- PTZ control panel available

Part Number	Description	Explore
INFVIEWCAM	InfiViewCam 2.0.1 is compatible with Android Ver5.0 or above and iOS 7.0 and above. It can support the live view, remote playback, PTZ control, local playback, snap shot, and push notifications, etc. from DVR and NVR via 3G or above, or WIFI.	<a href="#">📄</a> <a href="#">🌐</a> <a href="#">📞</a>



128 100 64 Channels

## Key Features



Designed for Medium to Large Enterprise  
 2 x 500Mbps Network Bandwidth  
 Real-time Display and Recording  
 Centralized Storage Option via IP SAN or Fiber Channel  
 Supports ONVIF and RTSP  
 Easy to install, comes with standard rack mountable chassis  
 Centralized Monitoring using CMS Software  
 Hard Drive not included, No Camera Licensing Fee

Part Number	Description	Explore
128 Channels		
<b>INR128-384D24E-4</b>	Fortes NVR Enterprise+ Series, 24 HDD Slot 128Ch Realtime Display and Recording, Recording @1920fps in Full HD, @3840fps in HD, H.264, H.265, 24 x Hot Swappable HDD Slots, 2 x RJ45 Gigabit Ethernet LAN Ports, 4U Rack Mountable	
100 Channels		
<b>INR100-300D24E-4</b>	Fortes NVR Enterprise+ Series, 24 HDD Slot 100Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 24 x Hot Swappable HDD Slots, 2 x RJ45 Gigabit Ethernet LAN Ports, 4U Rack Mountable	
64 Channels		
<b>INR64-192H24E-4</b>	Fortes NVR Enterprise+ Series, 24 HDD Slot 64Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 24 x Hot Swappable HDD Slots, 2 x RJ45 Gigabit Ethernet LAN Ports, 4U Rack Mountable	
Fortes NVR with RAID		
128 Channels		
<b>INR128-384D24E-4R</b>	Fortes NVR Enterprise+ Series, 24 HDD Slot, RAID5/6, Dual Power 128Ch Realtime Display and Recording, Recording @1920fps in Full HD, @3840fps in HD, H.264, H.265, 24 x Hot Swappable HDD Slots, 2 x RJ45 Gigabit Ethernet LAN Ports, 4U Rack Mountable	



100 Channels	
<b>INR100-300D24E-4R</b>	Fortes NVR Enterprise+ Series, 24 HDD Slot, RAID5/6, Dual Power 100Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 24 x Hot Swappable HDD Slots, 4U Rack Mountable   
64 Channels	
<b>INR64-192H24E-4R</b>	Fortes NVR Enterprise+ Series, 24 HDD Slot, RAID5/6, Dual Power 64Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 24 x Hot Swappable HDD Slots, 4U Rack Mountable   
Fortes NVR with SAN Support	
128 Channels	
<b>INR128-384D24E-4N</b>	Fortes NVR Enterprise+ Series, 24 HDD Slot, SAN Support, Dual Power 128Ch Realtime Display and Recording, Recording @1920fps in Full HD, @3840fps in HD, H.264, H.265, 24 x Hot Swappable HDD Slots, 2 x RJ45 Gigabit Ethernet LAN Ports, SAN Support, Dual Power, 4U Rack Mountable, HDD not included, No Camera Licensing Fee   
100 Channels	
<b>INR100-300D24E-4N</b>	Fortes NVR Enterprise+ Series, 24 HDD Slot, SAN Support, Dual Power 100Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 24 x Hot Swappable HDD Slots, 2 x RJ45 Gigabit Ethernet LAN Ports, SAN Support, Dual Power, 4U Rack Mountable, HDD not included, No Camera Licensing Fee   
64 Channels	
<b>INR64-192H24E-4N</b>	Fortes NVR Enterprise+ Series, 24 HDD Slot, SAN Support, Dual Power 64Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 24 x Hot Swappable HDD Slots, 2 x RJ45 Gigabit Ethernet LAN Ports, SAN Support, Dual Power, 4U Rack Mountable, HDD not included, No Camera Licensing Fee   
Fortes NVR Options	
<b>INR-4HDE1</b>	IP Fortes NVR Options - E-SATA for upto 4 HDDs
<b>INR-8HDE2</b>	IP Fortes NVR Options - Dual E-SATA for upto 8 HDDs



128 100 64 36 Channels








## Key Features



- Designed for Medium to Large Enterprise
- 2 x 500Mbps Network Bandwidth
- Real-time Display and Recording
- Centralized Storage via SAN or Fiber Channel
- Supports ONVIF and RTSP
- Easy to install, comes with standard rack mountable chassis
- Centralized Monitoring using CMS Software
- Hard Drive not included, No Camera Licensing Fee

Part Number	Description	Explore
128 Channels		
<b>INR128-384D16E-3</b>	Fortes NVR Enterprise Series, 16 HDD Slot 128Ch Realtime Display and Recording, Recording @1920fps in Full HD, @3840fps in HD, H.264, H.265, 16 x Hot Swappable HDD Slots, 2 x RJ45 Gigabit Ethernet LAN Ports, 3U Rack Mountable	
100 Channels		
<b>INR100-300D16E-3</b>	Fortes NVR Enterprise Series, 16 HDD Slot 100Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 16 x Hot Swappable HDD Slots, 3U Rack Mountable	
64 Channels		
<b>INR64-192H16E-3</b>	Fortes NVR Enterprise Series, 16 HDD Slot 64Ch Real-time Display and Recording, Recording @960fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 16 x Hot Swappable HDD Slots, 3U Rack Mountable	
36 Channels		
<b>INR36-108F16E-3</b>	Fortes NVR Enterprise Series, 16 HDD Slot 36Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 16 x Hot Swappable HDD Slots, 3U Rack Mountable	
Fortes NVR with RAID		
128 Channels		
<b>INR128-384D16E-3R</b>	Fortes NVR Enterprise Series, 16 HDD Slot, RAID5/6, Dual Power 128Ch Realtime Display and Recording, 500Mbps Record Bandwidth, Recording @1920fps in Full HD, @3840fps in HD, H.264, H.265, 16 x Hot Swappable HDD Slots, 3U Rack Mountable	



100 Channels	
<b>INR100-300D16E-3R</b>	Fortes NVR Enterprise Series, 16 HDD Slot, RAID5/6, Dual Power 100Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 16 x Hot Swappable HDD Slots, 3U Rack Mountable   
64 Channels	
<b>INR64-192H16E-3R</b>	Fortes NVR Enterprise Series, 16 HDD Slot, RAID5/6, Dual Power 64Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 16 x Hot Swappable HDD Slots, 3U Rack Mountable   
36 Channels	
<b>INR36-108F16E-3R</b>	Fortes NVR Enterprise Series, 16 HDD Slot, RAID5/6, Dual Power 36Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 16 x Hot Swappable HDD Slots, 3U Rack Mountable   
Fortes NVR with SAN Support	
128 Channels	
<b>INR128-384D16E-3N</b>	Fortes NVR Enterprise Series, 16 HDD Slot, SAN Support, Dual Power 128Ch Realtime Display and Recording, 500Mbps Record Bandwidth, Recording @1920fps in Full HD, @3840fps in HD, H.264, H.265, 16 x Hot Swappable HDD Slots, 3U Rack Mountable   
100 Channels	
<b>INR100-300D16E-3N</b>	Fortes NVR Enterprise Series, 16 HDD Slot, SAN Support, Dual Power 100Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 16 x Hot Swappable HDD Slots, 3U Rack Mountable   
64 Channels	
<b>INR64-192H16E-3N</b>	Fortes NVR Enterprise Series, 16 HDD Slot, SAN Support, Dual Power 64Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 16 x Hot Swappable HDD Slots, 3U Rack Mountable   
36 Channels	
<b>INR36-108F16E-3N</b>	Fortes NVR Enterprise Series, 16 HDD Slot, SAN Support, Dual Power 36Ch Real-time Display and Recording, Recording @1080fps in Full HD, @1920fps in HD, @3000fps in D1, H.264, H.265, 16 x Hot Swappable HDD Slots, 3U Rack Mountable   
Fortes NVR Options	
<b>INR-4HDE1</b>	IP Fortes NVR Options - E-SATA for upto 4 HDDs
<b>INR-8HDE2</b>	IP Fortes NVR Options - Dual E-SATA for upto 8 HDDs



128 100 64 36 16 Channels

## Key Features



Designed for Medium to Large Enterprise  
 Centralized Storage via SAN or Fiber Channel  
 500Mbps Network Bandwidth  
 Supports ONVIF and RTSP  
 Centralized Monitoring using CMS Software  
 Robust Failover for Continuous Operation  
 Easy to install, comes with standard rack mountable chassis  
 Hard Drive not included  
 480(D) x 430(W) x 89(H) mm, 11 kg




Part Number	Description	Explore
128 Channels		
<b>INR128-384D8E-2</b>	Fortes NVR Professional Series, 8 HDD Slot 128Ch Realtime Display and Recording, 500Mbps Record Bandwidth, Recording @1920fps in Full HD, @3840fps in HD, H.264, H.265, 8 x Hot Swappable HDD Slots, 2U Rack Mountable, No Camera Licensing Fee	
100 Channels		
<b>INR100-300D8E-2</b>	Fortes NVR Professional Series, 8 HDD Slot 100Ch Realtime Display and Recording, 500Mbps Record Bandwidth, Recording @1500fps in Full HD, @3000fps in HD, H.264, H.265, 8 x Hot Swappable HDD Slots, 2U Rack Mountable, No Camera Licensing Fee	
64 Channels		
<b>INR64-192H8E-2</b>	Fortes NVR Professional Series, 8 HDD Slot 64Ch Realtime Display and Recording, 500Mbps Record Bandwidth, Recording @1080fps in Full HD, 1920fps in D1, H.264, H.265, 8 x Hot Swappable HDD Slots, 2U Rack Mountable, No Camera Licensing Fee	
36 Channels		
<b>INR36-108F8E-2</b>	Fortes NVR Professional Series, 8 HDD Slot 36Ch Realtime Display and Recording, 500Mbps Record Bandwidth, Recording @1080fps in Full HD, HD, D1, H.264, H.265, 8 x Hot Swappable HDD Slots, 2U Rack Mountable, No Camera Licensing Fee	
16 Channels		
<b>INR16-48F8E-2</b>	Fortes NVR Professional Series, 8 HDD Slot 16Ch Realtime Display and Recording, 80Mbps Record Bandwidth, Recording @480fps in Full HD, HD, D1, H.264, 8 Hot Swappable HDD Slots, Optional eSATA up to 4 HDDs 32TB, Dual LAN, 2U Rack Mountable	








## Fortes NVR with RAID

### 128 Channels

**INR128-384D8E-2R** Fortes NVR Professional Series, 8 HDD Slot, RAID5/6, Dual Power  
128Ch Realtime Display and Recording, 500Mbps Record Bandwidth, Recording @1920fps in Full HD, @3840fps in HD, H.264, H.265, 8 x Hot Swappable HDD Slots, 2U Rack Mountable, No Camera Licensing Fee   

### 100 Channels

**INR100-300D8E-2R** Fortes NVR Professional Series, 8 HDD Slot, RAID5/6, Dual Power  
100Ch Realtime Display and Recording, 500Mbps Record Bandwidth, Recording @1500fps in Full HD, @3000fps in HD, H.264, H.265, 8 x Hot Swappable HDD Slots, 2U Rack Mountable, No Camera Licensing Fee   




### 64 Channels

**INR64-192H8E-2R** Fortes NVR System Series, 8 HDD Slot, RAID5/6, Dual Power  
64Ch Realtime Display and Recording, 500Mbps Record Bandwidth, Recording @1080fps in Full HD, 1920fps in D1, H.264, H.265, 8 x Hot Swappable HDD Slots, , 2U Rack Mountable, No Camera Licensing Fee   

### 36 Channels


**INR36-108F8E-2R** Fortes NVR Professional Series, 8 HDD Slot, RAID5/6, Dual Power  
36Ch Realtime Display and Recording, 500Mbps Record Bandwidth, Recording @1080fps in Full HD, HD, D1, H.264, H.265, 8 x Hot Swappable HDD Slots, 2U Rack Mountable, No Camera Licensing Fee   

### 16 Channels

**INR16-48F8E-2R** Fortes NVR Professional Series, 8 HDD Slot, RAID5/6, Dual Power  
16Ch Realtime Display and Recording, 80Mbps Record Bandwidth, Recording @480fps in Full HD, HD, D1, H.264, 8 x Hot Swappable HDD Slots, 2U Rack Mountable, No Camera Licensing Fee   

## Fortes NVR with SAN Support

### 128 Channels

**INR128-384D8E-2N** Fortes NVR Professional Series, SAN Support, Dual Power  
128Ch Realtime Display and Recording, 500Mbps Network Bandwidth, 500Mbps Record Bandwidth, Recording @1920fps in Full HD, @3840fps in D1, H.264, H.265, 8 x Hot Swappable HDD Slots, Dual LAN, 2U Rack Mountable, HDD not included   

### 100 Channels

**INR100-300D8E-2N** Fortes NVR Professional Series, SAN Support, Dual Power  
100Ch Realtime Display and Recording, 160Mbps Record Bandwidth, Recording @1920fps in Full HD, @3000fps in HD, D1, H.264, 8 Hot Swappable HDD Slots, Dual LAN, 2U Rack Mountable, HDD not included   



## 64 Channels

### **INR64-192H8E-2N**

Fortes NVR Professional Series, SAN Support, Dual Power  
64Ch Realtime Display and Recording, 500Mbps Network  
Bandwidth, 160Mbps Record Bandwidth, Recording  
@1080fps in Full HD, @1920fps in HD, D1, H.264, 8 Hot Swappable  
HDD Slots, Dual LAN, 2U Rack Mountable, HDD not included



## 36 Channels

### **INR36-108F8E-2N**

Fortes NVR Professional Series, SAN Support, Dual Power  
36Ch Realtime Display and Recording, 500Mbps Network  
Bandwidth, 180Mbps Record Bandwidth, Recording  
@1080fps in Full HD, @1920fps in HD, D1, H.264, 8 Hot Swappable  
HDD Slots, Dual LAN, 2U Rack Mountable, HDD not included



## Fortes NVR Options

### **INR-4HDE1**

IP Fortes NVR Options - E-SATA for upto 4 HDDs

### **INR-8HDE2**

IP Fortes NVR Options - Dual E-SATA for upto 8 HDDs



## 64 36 25 16 Channels

### Key Features



Designed for Medium to Large Enterprise  
 Centralized Storage via SAN or Fiber Channel  
 Record Bandwidth of maximum 500Mbps  
 Supports ONVIF and RTSP  
 Centralized Monitoring using CMS Software  
 Robust Failover for Continuous Operation  
 Easy to install, comes with standard rack mountable chassis  
 Hard Drive not included, No Camera Licensing Fee  
 247.5(D) x 430(W) x 44(H) mm, 2.67 kg

Part Number	Description	Explore
64 Channels		
<b>INR64-192D4E-2</b>	Fortes NVR System Series, 4 HDD Slot 64Ch Realtime Display and Recording, 500Mbps x 2 Network Bandwidth, Recording @1080fps in Full HD, HD, D1, H.264, H.265, 4 x Hot Swappable HDD Slots, 2 x RJ45 Gigabit Ethernet LAN Ports, 2U Rack Mountable	
36 Channels		
<b>INR36-108F4E-2</b>	Fortes NVR System Series, 4 HDD Slot 36Ch Realtime Display and Recording, 500Mbps x 2 Network Bandwidth, Recording @1080fps in Full HD, HD, D1, H.264, H.265, 4 x Hot Swappable HDD Slots, 2U Rack Mountable	
25 Channels		
<b>INR25-108F4E-2</b>	Fortes NVR System Series, 4 HDD Slot 25Ch Realtime Display and Recording, 500Mbps x 2 Network Bandwidth, Recording @1080fps in Full HD, HD, D1, H.264, H.265, 4 x Hot Swappable HDD Slots, 2U Rack Mountable	
16 Channels		
<b>INR16-48F4E-2</b>	Fortes NVR System Series, 4 HDD Slot 16Ch Realtime Display and Recording, 500Mbps x 2 Network Bandwidth, Recording @480fps in Full HD, HD, D1, H.264, H.265, 4 x Hot Swappable HDD Slots, 1 x RJ45 Gigabit Ethernet LAN Ports, 2U Rack Mountable	
Fortes NVR Options		
<b>INR-4HDE1</b>	IP Fortes NVR Options - E-SATA for upto 4 HDDs	
<b>INR-8HDE2</b>	IP Fortes NVR Options - Dual E-SATA for upto 8 HDDs	




16 9 4 Channels

Key Features



Appliance NVR with Intel® XEON™ Processor  
 Network Health and Event Monitoring  
 Network Bandwidth of maximum 500Mbps  
 Supports ONVIF Compliant IP cameras  
 Easy to install, comes with standard rack mountable chassis  
 Energy efficient, has a very low power consumption  
 247.5(D) x 430(W) x 44(H) mm, 2.67 kg


Part Number	Description	Explore
16 Channels		
<b>INR16-48F2E-1</b>	Fortes NVR Econo Series, 2 HDD Slot 16Ch Realtime Display and Recording, Recording @480fps in Full HD, HD, D1, H.264, H.265, 2 x Hot Swappable HDD Slots, 1U Rack Mountable, Hard Drive not included, No Camera Licensing Fee	
9 Channels		
<b>INR9-27F2E-1</b>	Fortes NVR Econo Series, 2 HDD Slot 9Ch Realtime Display and Recording, Recording @270fps in Full HD, HD, D1, H.264, H.265, 2 x Hot Swappable HDD Slots, 1U Rack Mountable, Hard Drive not included, No Camera Licensing Fee	
4 Channels		
<b>INR4-12F2E-1</b>	Fortes NVR Econo Series, 2 HDD Slot 4Ch Realtime Display and Recording, Recording @120fps in Full HD, HD, D1, H.264, H.265, 2 x Hot Swappable HDD Slots, 1U Rack Mountable, Hard Drive not included, No Camera Licensing Fee	
Fortes NVR Options		
<b>INR-4HDE1</b>	IP Fortes NVR Options - E-SATA for upto 4 HDDs	



### Key Features




- Easily manage NVRs from a single application
- Supports up to +4000 cameras
- Search and retrieve alarms, events and logs
- Monitor Events and Health of NVRs
- Visualize physical location of NVR using maps


Part Number	Description	Explore
FortesMonitor		
<b>ICMS08</b>	FortesMonitor License for Live Monitor of 8 NVRs and 128 Cameras in a Single or Multiple Window, Remote Monitoring of Cameras and NVRs from multi-sites on a Single Client	
<b>ICMS16</b>	FortesMonitor License for Live Monitor of 16 NVRs and 256 Cameras in a Single or Multiple Window, Remote Monitoring of Cameras and NVRs from multi-sites on a Single Client	
<b>ICMS64</b>	FortesMonitor License for 64 NVRs and 1024 Cameras, Live Monitor Window of 32x32, 1024 Live Channels on a Single Window, Remote Monitoring of Cameras and NVRs from multi-sites on a Single Client	
<b>ICMS128</b>	FortesMonitor License for 128 NVRs and 2048 Cameras, Live Monitor Window of 32x32, 1024 Live Channels on a Single Window, Remote Monitoring of Cameras and NVRs from multi-sites on a Single Client	
<b>ICMS256</b>	FortesMonitor License for Live Monitor of 256 NVRs and 4096 Cameras, Live Monitor Window of 32x32, 1024 Live Channels on a Single Window, Remote Monitoring of 4000+ Cameras from multi-sites on a Single Client	



### Key Features

- Linux OS for stability and high reliability
- Supports -128bit MD5 algorithm
- Audit Logs of system, events, user actions
- Record locally or on central storage
- Failover option for continuous operation













Part Number	Description	Explore
<b>FORTESVMS</b>	FortesVMS, Enterprise Class Video Management Software, Pre-installed on FortesServer and FortesNVR, Centralized SAN Storage Support Using iSCSI or Fiber Channel, Failover Mechanism, Scalable with Automatic Bridging of Multiple Servers, ONVIF Compliant, No Camera Licensing Fee	  



**CUSTOMER  
SUPPORT**



Customer support is integral to Infinique and we believe in delivering the best product and service. Design, value engineering or quotes, we help you find the right products and solution. The following tools are available to our valued customers to assist them in their job.

Tool	Description	Explore
<b>Product Selector</b>	Find the right Infinique product and accessory for your requirement quickly using this easy to use tool.	 
<b>Download Center</b>	Search and quickly access the manuals and installation instructions for camera and NVR required.	 
<b>Datasheets</b>	Looking for product datasheets, enter the part number, keyword or description to retrieve.	 
<b>Manuals</b>	Check operation and installation instructions for products.	 
<b>NVR Estimation</b>	NVR Estimation Tool helps to estimate the necessary storage space and network bandwidth requirement for the parameters specified and generates Infinique NVR bill of quantities for the specific requirement.	
<b>Cabling Estimation</b>	Cabling Estimation Tool helps to estimate the necessary cable and components required for the parameters specified and generates Infinique Cabling bill of quantities for the requirement.	
<b>Warranty</b>	Designed, Engineered and Manufactured as per International Standards and Backed by Industry Leading Product Warranty	 





**Infinique Worldwide Inc.**

Ontario, Canada  
Tel: +1-905-766-3705  
Toll Free: +1-844-332-2288  
Email: sales@infinique.com

**Infinique Middle East FZCO**

Dubai, United Arab Emirates  
Tel: +971-4-3926-330  
Email: sales.me@infinique.com

© 2025 Infinique Worldwide Inc. Infinique, Fortes and nClient are registered trademarks or trademark applications of Infinique Worldwide Inc. Canada. All other company names and products are trademarks or registered trademarks of their respective companies.

This document is protected by copyright and distributed under licenses restricting its use, copying, distribution and recompilation. No part of this document may be reproduced in any form by any means without prior written authorization of Infinique and its licensors. Information contained in this document is valid and correct at the time of its publication.

Product specification, design and availability subject to change without prior notice

[www.infinique.com](http://www.infinique.com)